

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27 3	3	(manag\$5 same boot\$3 same imag\$3 near3 medical).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:19
S27 2	0	(manag\$5 near boot\$3 same imag\$3 near3 medical).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:19
S27 1	27	(manag\$5 same imag\$3 near3 medical same (config configur\$5 initializ\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:18
S27 0	115	(manag\$5 with imag\$3 near3 medical).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:16
S26 9	131	(manag\$5 same imag\$3 near3 medical).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:16
S26 7	69	S265 not S266	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:15
S26 6	89	S252 and medical near imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:12
S26 5	158	S252 and medical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:11
S26 3	75	S252 and (config configuration) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:11

EAST Search History

S26 4	3	(S253 S254) and (config configuration) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:08
S26 2	25	S261 not S250	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:08
S26 1	35	S252 with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:01
S25 5	2	S252 same forward\$3 near2 (instruction command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:01
S25 0	19	hierarch\$5 near bootstrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:00
S26 0	28	S259 and (config configuration) near file	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/30 13:56
S25 9	128	S257 S258	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/30 13:55
S25 8	48	("4268901" "4317183" "4562535" "4589063" "4660141" "4727475" "4730251" "4974151" "4982325" "5038294" "5109484" "5136709" "5157384" "5197093" "5247682" "5249270" "5252951" "5257368" "5257379" "5257387" "5263148" "5289372" "5297262" "5319790" "5335350" "5359713" "5371492" "5379431" "5386551" "5386567" "5408618" "5412798" "5420987" "5428748" "5450570" "5452454" "5454078" "5459867" "5459869" "5469545" "5471675" "5485460" "5491813" "5517636" "5517646" "5542055" "5553281" "5581261").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/30 13:55

EAST Search History

S25 7	80	("5787246").URPN.	USPAT	OR	ON	2007/04/30 13:55
S25 6	0	S252 same pass\$3 near2 (instruction command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:55
S25 4	151	S252 and pass\$3 near2 (instruction command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:55
S25 3	56	S252 and forward\$3 near2 (instruction command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:55
S25 2	1355	S248 S249 S250 S251	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:54
S25 1	715	(boot\$3 bootstrap\$4) near (stage tier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:54
S24 9	46	hierarch\$5 near boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:54
S24 7	715	(boot\$3 bootstrap\$4) near (stage tier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:54
S24 6	19	hierarch\$5 near bootstrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:54
S24 5	46	hierarch\$5 near boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:54

EAST Search History

S24 8	631	(boot\$3 bootstrap\$4) near (level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:20
S24 4	2	"5787246".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:59
S24 3	69	(config configur\$5 initializ\$5) near (file list program) with level with hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:35
S24 2	28	S241 with (config configur\$5 initializ\$5) near (file list program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:35
S24 1	8263	S235 S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:33
S24 0	10	boot\$3 with primary with secondary with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:33
S23 8	14	boot\$3 with first near level with second near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:30
S23 9	0	boot\$3 with primary near level with secondary near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:29
S23 5	502	boot\$3 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:29
S23 7	210	S236 with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:28

EAST Search History

S23 6	7870	boot\$3 with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:28
S23 0	463	boot\$3 near level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:28
S23 4	2	"5787246".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:27
S23 3	14	S230 same manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:27
S23 1	5	S230 with hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:22
S22 9	46	boot\$3 near hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:21
S22 8	3	S227 with hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:16
S22 7	1862	boot adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:15
S22 6	56	S224 same manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:15
S22 4	285	distributed with configuration near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:12

EAST Search History

S22 5	0	distributed with primary with secondary with configuration near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:11
S22 2	0	distrubuted with primary with secondary with configuration near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:11
S22 1	112	S220 with manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:10
S22 0	2275	(initializ\$5 config configur\$5) with number near (system subsystem level tier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:01
S21 9	4	(initializ\$5 config configur\$5) near file with (boot\$3 bootstrap\$4) near mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:00
S21 8	28	medic\$5 with (initializ\$5 config configur\$5) with (boot\$3 bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 15:59
S21 7	3	system adj manager same (sub adj system subsystem) adj manager same (boot\$3 bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 15:58
S21 6	0	system adj manager same (sub adj system subsystem) adj manager same hierarch\$4 same (boot\$3 bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 15:57
S21 5	18	medical near imag\$3 with level with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 15:56
S21 4	14	top adj level with second\$3 near level with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 15:55

EAST Search History

S21 3	29	("6098098").URPN.	USPAT	OR	ON	2007/04/27 14:36
S21 2	4	("5664170" "5838907" "5838918" "6038586").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 14:36
S21 0	34	bootfile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:22
S21 1	61	S209 not S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:20
S20 9	95	(bootstrap\$4 boot\$3) near2 (config configuration) near2 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:20
S20 7	34	(bootstrap\$4 boot\$3) adj (config configuration) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:18
S20 8	718	(bootstrap\$4 boot\$3) adj (config configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:16
S20 6	30	(manag\$5 with boot\$3 with (config configuration) near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:16
S20 5	15	(manag\$5 with hierarch\$4 with (config configuration) near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:14
S19 5	2	(manag\$5 with hierarch\$4 with (config configuration) near file).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:13
S20 4	0	("7127499").URPN.	USPAT	OR	ON	2007/04/27 14:01

EAST Search History

S20 3	39	("3955119" "4853946" "4991193" "5274700" "5287505" "5325156" "5603323" "5623404" "5629871" "5655084" "5675744" "5715823" "5786994" "5790793" "5901197" "5903626" "5938607" "5944839" "5968124" "5970149" "5974406" "5983364" "5995939" "6003079" "6023667" "6032184" "6055506" "6065026" "6085244" "6110228" "6177932" "6178438" "6178528" "6198283" "6212256" "6233449" "6272469" "6298112" "6434572").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 14:00
S20 2	2	"7127499".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:34
S20 1	2	S196 and configuration adj file and medical adj imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:34
S19 7	567	S196 and configuration adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:33
S20 0	177	S196 and configuration adj file with manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:28
S19 8	31	S196 and configuration adj file with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:16
S19 9	9	S196 and configuration adj file with hierarch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:14
S19 6	5821	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:14

EAST Search History

S19 3	7	(level with hierarch\$4 with (config configuration) near file).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:58
S19 4	2	(level with hierarch\$4 with (config configuration) with subsystem).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:57
S19 2	2	"5838918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:56
S19 1	2	manag\$5 with medical adj imag\$3 near3 distributed	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 10:17
S19 0	2	error with application near fail\$3 near load\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 10:17
S18 9	1	"6064205".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 09:42
S18 8	7	("4559614" "4754428" "4908759" "5055996" "5119465" "5278978" "5339428").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 09:40
S18 7	3	("5991544").URPN.	USPAT	OR	ON	2007/04/27 08:39
S18 6	11	("5410651" "5519866" "5655081" "5668992" "5742829" "5745568" "5761499" "5778231" "5826239" "5857107" "5859969").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/27 08:38
S18 5	8	system adj manag\$5 with (subsystem (secondary sub) adj system) adj manag\$5 with (load\$3 boot\$3 bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:36
S18 4	13	system adj manag\$5 with (subsystem (secondary sub) adj system) adj manag\$5 with (config configuration initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:35
S18 3	0	system adj manag\$5 with (subsystem (secondary sub) adj system) adj manag\$5 with (config configuration initializ\$5) with (load\$3 boot\$3 bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:35

EAST Search History

S18 2	6	S181 and medical near imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:23
S18 1	2487	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:23
S18 0	5	S179 and (initialization config configuration) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:23
S17 9	382	713/330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:20
S17 8	94	700/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:20
S17 7	0	("6990574").URPN.	USPAT	OR	ON	2007/04/26 17:51
S17 6	6	("5689708" "6119186" "6202121" "6476833" "6502123" "6530081").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 17:50
S17 5	1	(boot\$3 boot adj strap\$4 bootstrap\$4) near (order\$3 priority) and medical adj (imag\$3)	USPAT	OR	ON	2007/04/26 17:16
S17 4	0	(boot\$3 boot adj strap\$4 bootstrap\$4) near (order\$3 priority) same medical adj (imag\$3)	USPAT	OR	ON	2007/04/26 17:16
S16 9	0	(configuration config) adj (file) same medical adj (imag\$3) not S167	USPAT	OR	ON	2007/04/26 17:15
S17 1	2	"6105066".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:56
S17 0	61	(configuration config) adj (file) and medical adj (imag\$3) not S167	USPAT	OR	ON	2007/04/26 16:19
S16 7	64	(configuration config) adj (file tree) same medical	USPAT	OR	ON	2007/04/26 16:14

EAST Search History

S16 8	6	("20020196293" "20030046548" "20030051039" "20030061567" "5390335" "5793368").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 16:08
S16 6	5	("6266661").URPN.	USPAT	OR	ON	2007/04/26 16:00
S16 5	11	("5442784" "5454101" "5457643" "5524244" "5758154" "5806065" "5991753" "6021413" "6055538" "6096094" "6115040").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 15:58
S16 4	2	("6725367").URPN.	USPAT	OR	ON	2007/04/26 15:35
S16 3	11	("4888771" "5414812" "5499333" "5758154" "5838918" "5943497" "6052720" "6085034" "6105066" "6237092" "6334178").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 15:33
S16 2	3	"6725367".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 15:33
S16 1	51	control adj configuration adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 15:32
S16 0	2	"6330715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:15
S15 9	84	713/1,2.ccls. and (config configuration) near file with (boot\$3 bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:33
S15 7	342	713/1,2.ccls. and (config configuration) near file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:33
S15 8	15	713/1,2.ccls. and (config configuration) near file with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:24

EAST Search History

S15 6	27	S137 with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:21
S15 5	8	S137 same hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:21
S13 7	434	boot\$3 with (config configuration) near (list file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:19
S14 0	0	boot\$3 near phase with (config configuration) near (list file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:18
S15 3	76	hierarch\$4 with configuration with file with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:04
S15 2	11	hierarch\$4 with file with level with subsystem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:04
S15 1	335	714/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:03
S15 0	30	boot near state with (config configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:59
S14 9	0	boot near state with (config configuration) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:56
S14 7	5	boot with (config configuration) adj file with level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:55

EAST Search History

S14 8	1	boot with (config configuration) adj file with subsystem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:53
S14 6	6	boot with (config configuration) adj file with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:53
S14 4	4	bios adj (config configuration) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:52
S14 5	21	bios with (config configuration) with (normal alternate fault failure) with (boot\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:51
S14 2	59	bios with (config configuration) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:49
S14 3	10	S142 with boot\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:40
S14 1	15	boot\$3 near2 (level phase step stage) with (config configuration) near (list file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:40
S13 9	0	boot\$3 near level with (config configuration) near (list file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:42
S13 8	8	S137 with (level phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:41
S13 6	7990	boot\$3 with (config configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:40

EAST Search History

S13 5	0	hierarch\$4 near boot\$3 with (config configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:40
S13 4	0	heirarch\$4 near boot\$3 with (config configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:40
S13 3	9	subsystem adj configuration adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:39
S13 2	739	subsystem adj configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:35
S13 1	0	max adj boot adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:34
S13 0	0	maxbootlevel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 15:32